



Southern

PLANT HIRE SERVICES

Plant & Truck Hire Services



www.southernplanthire.com.au Telephone 03 9769 0022

SERVICE EXCELLENCE



The Southern Advantage

Reliability and Quality

Before operators can register with Southern Plant Hire, they must meet strict criteria and pass our comprehensive induction program.

We assess their experience, quality of equipment and ensure they have all the insurances, tickets and risk assessments to comply with site and OH&S requirements. Southern's reputation has been built over 50 years, by insisting on the highest standard of work and behaviour on site.

Highly Competitive Rates

Southern has the most cost effective rates in the industry. While anyone can be the cheapest, only one can be the best. By utilising the quality and reliability of Southern operators and internal operations staff, our clients maintain a productive advantage over their competition.

Helpful Staff with Knowledge and Experience

Southern is known for its ability to retain staff. This provides our clients with the great advantage of having access to the vast knowledge our staff have accumulated.

Many of our staff have been with Southern in excess of 10 years, and are committed to achieving the best possible outcomes for our clients.

Prompt Service

We confirm all orders promptly, allowing our clients the freedom to move ahead with certainty and peace of mind.

At Southern, we pride ourselves on our ability to solve your earthmoving problems with skill, speed, integrity and honesty.

Committed to OH&S

We ensure our operators have all the required insurances, tickets, risk assessments and safe work method statements. We maintain copies of all this information on our extensive database, which enables Southern to instantly supply copies of our operators' OH&S paperwork and insurance details to our clients.

All our Contractors are Pty Ltd

All operators supplied by Southern are employees of a Pty Ltd company in its own right. Not only does this ensure all operators are covered by that company's own Workcover, it also creates a clear distinction between hired operators and employees.

Excavators



Mini Excavators

Operating Weight	Height	Width	Dig Depth	Reach
1.5T – 2.0T	2300mm	1000mm	1800mm	2730mm
2.5T – 3.5T	2500mm	1600mm	2800mm	5180mm
4.0T – 5.5T	2550mm	1950mm	3500mm	6300mm

- Can be supplied with a tip truck as a combination



Medium Excavators

Operating Weight	Height	Width	Dig Depth	Reach
6.0T – 8.0T	2950mm	2300mm	4100mm	6500mm
12T	2900mm	2500mm	5300mm	7310mm
15T	2900mm	2500mm	5300mm	7450mm

- Can be supplied with a tip truck as a combination



Large Excavators

Operating Weight	Height	Width	Dig Depth	Reach
20T	3000mm	2800mm	6500mm	8800mm
25T	3100mm	3200mm	7500mm	9680mm
30T	3200mm	3200mm	7500mm	11000mm
40T	3500mm	3500mm	7800mm	11800mm
50T	3500mm	3500mm	7800mm	12000mm



Backhoes

Operating Weight	Height	Width	Dig Depth	Reach
8T	4000mm	2490mm	4000mm*	6500mm*

- * With extender arm, backhoe will have greater dig depth

Please note

Dimensions listed such as heights, widths and dig depths may vary by model, make and year. If any of these factors are critical please inform Southern when placing your order.

Attachments for Excavators

- Hammers
- Augers
- Grabs
- Compaction Plates
- Compaction Wheels
- Sorting bucket
- Tilt hitch/bucket
- Knuckle boom
- Zero swing

Skid Steers



Skid Steer

Size	Weight	Height	Width
Small	1 tonne	1800mm	< 1200mm
Large	2 tonne +	1950mm	> 1500mm

Attachments available

- Smudge Bar
- 4 in one Bucket
- Broom
- Auger
- Forks
- Can be supplied with a tip truck as a combination



Posi-Tracks

Size	Weight	Height	Width
Small	1.5 tonne	1900mm	1220mm
Large	4.5 tonne	2050mm	1850mm

Attachments available

- Smudge Bar
- 4 in one Bucket
- Can be supplied with a tip truck as a combination



Traxcavators

Model	Weight	Height	Width
931	9.0 tonne	2700mm	2200mm
953	15.5 tonne	5600mm	2280mm
963	20.0 tonne	5800mm	2400mm



Dozers

Model	Weight	Height	Width
D 4	10 tonne	2900mm	1985mm
D 5	12 tonne	3300mm	2200mm
D 6	20 tonne	3480mm	2440mm

- Low ground pressure tracks available
- Dozers with low ground pressure tracks may be wider than listed

Graders



Graders

Blade Size	Height	Width	Length	Turning Circle
10F	2800mm	2220mm	6350mm	6m
12F	3000mm	2320mm	7325mm	6-11m
14F	3425mm	2490mm	9895mm	8-15m

- GPS available on request

Please note

Dimensions listed such as heights, widths and dig depths may vary by model, make and year. If any of these factors are critical please inform Southern when placing your order.

Trucks



Water Carts

Axle Configuration	Capacity
Single Axle	5000 litre plus
Tandem Axle	10,000 litre plus

Tandem Drive Tippers

Carrying Capacity	Height	Width	Turning Circle
10m ³	3600mm	2900mm	16 – 18m

- Available with EPA Licence on request

Truck & Trailers

Carrying Capacity	Height	Width	Turning Circle
22m ³	3600mm	2900mm	16 – 18m

- Available with EPA Licence on request

Semi Tippers

Carrying Capacity	Height	Width	Turning Circle
22m ³	3600mm	2900mm	9.1m
30m ³	3600mm	2900mm	10.3m

Dump Trucks

Operating Weight	Height	Width	Turning Circle
25 – 30 tonne	3700mm	2960mm	17-20m

Contract Cartage

Please note

Dimensions listed such as heights, widths and dig depths may vary by model, make and year. If any of these factors are critical please inform Southern when placing your order.

Southern can arrange cartage of large volumes of material by cubic metre, tonne or load. These contract rates can be based on:

- Cartage only
- Loading, cartage & disposal
- Cartage & disposal
- Cartage and supply
- Cartage & disposal of EPA contaminated waste

Whether you need to dispose of excess fill and waste material, or import structural fill to your site, we can organise a contract rate to suit your particular job.

Southern has access to a vast network of tip sites all over Melbourne able to accept the following materials:

- Clean fill
- Mixed fill
- Crushed rock
- Builders waste/rubbish
- Concrete/brick/asphalt
- Greenwaste
- Rubble
- EPA Contaminated fill



Southern

PLANT HIRE SERVICES

Seven reasons to choose Southern

- 1.** All operators are Pty Ltd, fully insured and covered by Workcover.
- 2.** All plant is hazard and risk assessed annually.
- 3.** All plant and trucks carry up-to-date service and maintenance records.
- 4.** All current plant and operator OH&S information is maintained on our Operator Database and available to clients immediately on request.
- 5.** All operators have red card and certificate of competency.
- 6.** Southern Plant Hire is Victoria's most experienced and progressive plant hire company.
- 7.** ISO 9001:2008 Quality Management System - Third Party Certified.

Contact Southern Plant Hire

Level 1, 420 High st
Kew, 3101
Telephone 03 9769 0022
Fascimile 03 9769 0222
Email sales@southernplanthire.com.au

Postal Address
P.O Box 884
Kew, 3101

www.southernplanthire.com.au

SERVICE EXCELLENCE